

# Nash-Cascade

The Nash cascade is a sequence of  $N$  linear stores in series, each having a residence time of  $K$  time units. The resulting mathematical form of the Nash-cascade is:

$$h(t) = (t/K)^{N-1} \exp\left(-\frac{t}{K}\right) \Gamma(N)$$

where  $h(t)$  is the unit hydrograph in terms of a unit discharge and  $\Gamma$  is the gamma function  $\Gamma(N) = (N-1)!$  for integer values  $N$ .  $N$  can also have rational values.

|Nash.R

```
n <- 3
k <- 0.2
ks <- 0.1
kl <- 0.3
x <- seq(0.1,3,by=0.05)
y <- 1/(k*gamma(n))*(x/k)^(n-1)*exp(-x/k)
plot(x,y,col=2, xlab= " ", ylab="Q", xlim=range(0:3), ylim=range(0:3))
abline( h = seq( 5, 25, 5 ),lty = 2,col = colors()[440])
abline( v = seq( 1, 4, 1 ),lty = 2,col = colors()[440])
curve(1/(ks*gamma(n))*(x/ks)^(n-1)*exp(-x/ks), add = TRUE, col="blue")
curve(1/(k *gamma(n))*(x/k )^(n-1)*exp(-x/k ), add = TRUE, col="red")
curve(1/(kl*gamma(n))*(x/kl)^(n-1)*exp(-x/kl), add = TRUE, col="green")
```

|Nash.py

```
from pylab import *
from scipy import *
from math import *
from numpy import *

N = 5
k = 0.5
t = arange(0.0, 100, 1)


def Nash(t,N,k):
    h = (t/k)**(N-1)*exp((-t/k)/(k*gamma(N)))
    return h

plot(t, Nash(t,N,k))
xtext = xlabel('time')
ytext = ylabel('response')
setp(xtext, size='medium', name='courier', weight='bold', color='g')
setp(ytext, size='medium', name='helvetica', weight='light', color='b')
show()
```

Model in R: [Nash-Kaskade mit Shiny/R Studio in HTML](#)

From:  
<https://www.hydro-wiki.de/> -

Permanent link:  
<https://www.hydro-wiki.de/en/hydro/nash>



Last update: **2024/04/10 10:02**